



DIN ISO  CHAIN NO.	ANSI CHAIN.NO	PITCH	ROLLER DIAMETER	WIDTH BETWEEN INNER PLATES	PIN DIAMETER	PIN LENGTH		INNER PLATE DEPTH	U <sup>Ⓛ</sup> TIMATE	AVERAGE	WEIGHT PER METER	
						L MAX	LC MAX		H2 MAX	TENSILE STRENGTH		TENSILE STRENGTH
						MM	MM		MM	KN		KN
C 208A C 208AL	C 2040 C 2042	25.4	7.95 15.88	7.85	3.96	16.6	18.8	12	14.1	16.1	0.5 0.84	



# HANGZHOU OCEAN INDUSTRY CO., LTD.

C208B		25.4	8.51	7.75	4.45	16.7	18.2	11.8	18	19.5	0.55
C208AL			15.88								0.89
C210A	C2050	31.75	10.16	9.4	5.08	20.9	23.3	15	22.2	26.7	0.78
C210AL	C2052		19.05								1.27
C212A	C2060	38.1	11.91	12.57	5.94	25.9	28.3	18	31.8	35.5	1.12
C212AL	C2062		22.23								1.61
C212AH	C2060H	38.1	11.91	12.57	5.94	29.2	31.6	18	31.8	39.2	1.44
C212AHL	C2062H		22.23								2.07
C216A	C2080	50.8	15.88	15.75	7.92	32.8	36.5	23.8	56.7	66.1	2.08
C216AL	C2082		28.58								3.12
C216AH	C2080H	50.8	15.88	15.75	7.92	36.2	39.4	24.8	56.7	68.8	2.54
C216AHL	C2082H		28.58								3.58
C220A	C2100	63.5	19.05	18.9	9.53	40	44.7	30	88.5	103.8	3.01
C220AL	C2102		39.67								4.83
C220AH	C2100H	63.5	19.05	18.9	9.53	43.6	46.9	30	88.5	106.8	3.56
C220AHL	C2102H		39.67								5.38
C224A	C2120	76.2	22.23	25.22	11.1	50.45	54.3	36.1	127	147	4.66



## HANGZHOU OCEAN INDUSTRY CO., LTD.

C224AL	C2122		44.45								7.66
C224AH	C2120H	76.2	22.23	25.22	11.1	53.5	57.5	36.1	127	151.4	5.26
C224AHL	C2122H		44.45								8.26
C232A	C2160	101.6	28.58	31.75	14.27	64.5	69.6	48	226.8	260.2	8.23
C232AL	C2162		57.15								11.95
C232AH	C2160H	101.6	28.58	31.75	14.27	68.2	73	48	226.8	266.9	9.06
C232AHL	C2162H		57.15								12.77

China chain manufacturer, chinese pulley supplier, produce: Transmission chain(Driving Chain), Conveyor Chain - roller chain, Engineering Chain, Stainless Steel Chain, Lifting Chain, Agricultural Chain, Forging Series, Cast Iron Chain. We can produce as per customer's drawing or sample. Please feel free to send us your detail enquiries. E-mail: [oceanindustry@vip.163.com](mailto:oceanindustry@vip.163.com)