



Escalator step chains


杭州四海传动件有限公司
Hangzhou Ocean Industry CO. Ltd.

Tel:0086-571-88842852
Fax:0086-571-88844378
E-mail:oceaindustry@vip.163.com

电话:0086-571-88842852
传真:0086-571-88844378
邮箱:oceaindustry@vip.163.com

Escalator step chains

Commercial type for commercial use



Pitch	Step distance	Tensile strength
133.33	400.0	75 kN~260 kN
135.46	406.4	70 kN~155 kN
68.40	410.4	98 kN~161.4 kN
135.00	405.0	130 kN~205 kN
136.00	410.4	80 kN~160 kN

Escalator step chains

Free of lubrication type



Pitch	Step distance	Tensile strength
133.33	400.0	88 kN~380 kN
135.46	406.4	123 kN~160 kN
101.15	404.6	150 kN~300 kN
100.00	400.0	240 kN~320 kN


Escalator step chains

Public transport type for public transport



Pitch	Step distance	Tensile strength
133.33	400.0	130 kN~520 kN
135.46	406.4	150 kN~400 kN
101.15	404.6	120 kN~450 kN
102.60	410.4	170 kN~360 kN

Moving walk pallet chains



Pitch	Step distance	Tensile strength
133.33	400.0	90 kN~180 kN
135.46	406.4	127 kN~150 kN
120.00	360.0	105 kN~120 kN