





HANGZHOU OCEAN INDUSTRY CO., LTD.

Chan No.	P	G	L	C	F	T	d4
	mm	mm	mm	mm	mm	mm	mm
04BW SK2F1	6.000	10.50	6.000	7.00	11.00	0.60	2.20
05BW SA2F1	8.000	14.00	6.000	7.00	13.00	0.80	3.00
*06BW SA2F1	9.525	17.60	9.500	10.10	14.50	1.30	3.30
*06BW SK0F1	9.525	17.72	-	-	13.50	1.30	-
*06BW SK2F2	9.525	17.25	9.520	9.50	13.50	1.15	3.50
06CW SA2F1	9.525	17.53	9.530	8.50	14.70	1.30	4.20
06CW SA2F2	9.525	18.50	9.525	9.60	14.70	1.30	3.30
08AW SA2F1	12.700	23.00	12.700	17.47	20.65	1.50	3.60
08BW SA0F2	12.700	23.30	-	-	18.90	1.60	-
08BW SA0F4	12.700	23.20	-	-	16.00	1.60	-
08BW SA1F2	12.700	24.45	-	13.40	18.90	1.60	4.30
08BW SA2F11	12.700	23.30	12.700	13.35	18.90	1.60	4.00
08BW SA2F9	12.700	23.30	12.700	19.50	25.00	1.60	4.30
08BW SK2F1	12.700	23.30	12.700	13.35	18.90	1.60	6.10
08BW SK2F13	12.700	23.05	12.700	14.10	19.20	1.60	4.30
08BW SK2F2	12.700	24.45	12.700	13.40	18.90	1.60	4.30
08BW SK2F3	12.700	24.20	12.700	14.10	19.50	1.55	4.30
08BW SK2F4	12.700	23.30	12.700	14.10	18.50	1.60	4.30
08BW SK2F8	12.700	23.30	12.700	13.35	18.90	1.60	5.00
*C 10BW SK0F1	15.875	29.58	-	-	22.95	1.70	-
10AW SA0F5	15.875	30.30	-	-	24.10	2.03	-
10AW SA0F6	15.875	28.90	-	-	19.70	2.03	-
10AW SA1F1	15.875	30.88	-	17.50	33.50	2.03	6.00
10AW SK2F1	15.875	28.45	15.900	17.30	26.90	2.03	5.00
10BSK2F5	15.875	29.90	15.880	16.32	23.32	1.60	5.30
10BW SK2F6	15.875	28.60	15.900	15.90	23.70	1.70	5.20
*C 12AW SA1F1	19.050	34.05	-	17.60	25.80	2.42	9.00
*C 12BW SK0F7	19.050	34.05	-	-	22.00	1.85	-
12AW SA0F1	19.050	37.05	-	-	24.00	2.42	-
12AW SA0F2	19.050	34.65	-	-	26.86	2.42	-
12AW SA2F2	19.050	34.65	19.050	17.57	26.80	2.42	5.50
12AW SK1F2	19.050	34.65	-	15.75	33.53	2.42	16.13
12AW SK2F1	19.050	34.65	19.050	18.30	26.86	2.42	9.00
12BSK1F6	19.050	18.00	-	18.20	28.10	1.80	6.40
12BSK2F1	19.050	34.05	19.050	18.20	28.60	1.85	6.40

Tel: 0086






HANGZHOU OCEAN INDUSTRY CO., LTD.

Chain No.	P	G	L	C	F	T	d4
	mm	mm	mm	mm	mm	mm	mm
12BW SK1F1	19.050	35.20	-	20.58	30.30	1.85	6.35
12BW SK2F2	19.050	34.90	19.000	17.80	25.90	1.85	6.20
12BW SK2F3	19.050	34.90	19.000	17.80	25.90	1.85	5.50
12BW SK2F4	19.050	37.20	19.000	18.30	29.00	1.85	6.20
12BW SK2F5	19.050	34.05	19.050	19.00	30.50	1.85	5.72
12BW SK2F6	19.050	34.90	19.000	17.90	32.00	1.85	5.60
*C16BSK0F4	25.400	35.00	-	-	25.00	3.00	-
*C16BW SK0F1	25.400	46.40	-	-	24.00	3.10	-
*C16BW SK0F6	25.400	25.00	-	-	25.00	3.10	-
16AW SK1F3	25.400	45.90	-	16.00	34.40	3.25	14.52
16AW SK1F4	25.400	45.90	-	16.00	34.40	3.25	15.56
16AW SK1F5	25.400	45.90	-	16.00	34.40	3.25	17.15
16AW SK1F6	25.400	45.90	-	16.00	34.40	3.25	16.00
16AW SK2F1	25.400	45.90	19.100	24.60	35.45	3.25	9.00
16BF95	25.400	46.40	25.400	27.50	40.00	3.10	8.28
16BW SA2F6	25.400	49.00	25.400	25.50	37.60	4.00	8.20
16BW SK0F9	25.400	46.40	-	-	24.00	4.15	-
16BW SK1F8	25.400	47.00	25.400	31.10	39.70	4.15	9.00
16BW SK2F10	25.400	46.50	25.400	28.60	41.50	3.10	9.00
16BW SK2F15	25.400	46.40	25.400	23.15	34.00	3.10	6.40
16BW SK2F16	25.400	45.85	25.400	26.00	36.75	3.10	6.80
16BW SK2F5	25.400	46.00	25.400	25.40	37.50	3.00	8.20
16BW SK2F7	25.400	47.00	25.400	31.10	39.70	3.10	6.60
16BW SK2F8	25.400	46.40	-	25.00	37.00	3.10	8.20
16BW SK2F9	25.400	47.00	25.400	31.10	39.70	4.15	9.00
20AW SK1F2	31.750	57.65	-	31.80	44.00	4.00	16.00
20AW SK1F3	31.750	57.65	-	31.80	34.98	4.00	16.00
20BW SK2F2	31.750	58.10	31.750	35.00	50.00	3.50	9.00
20BW SK2F3	31.750	52.00	32.000	26.00	36.00	4.50	9.00
24AW SK2F1	38.100	69.30	38.100	34.40	50.70	4.80	9.80
24BW SK2F1	38.100	71.30	38.100	45.00	55.60	4.80	10.50
24BW SK2F3	38.100	71.30	38.100	41.00	60.00	4.80	11.00
140HW SK0F1	44.450	80.48	-	-	43.00	5.00	-
28AW SK2F2	44.450	80.45	44.450	44.20	61.25	5.60	11.40
32AF5	50.800	93.00	50.800	38.10	56.65	6.40	13.50

Tel: 0086-






HANGZHOU OCEAN INDUSTRY CO., LTD.

ISO 链号 ISO Chain No.	Chain No.	P mm	G mm	F mm	W mm	T mm	h4 mm	d4 mm
40	08A	12.700	9.5	25.40	35.2	1.50	7.90	3.4
50	10A	15.875	12.7	31.75	46.2	2.03	10.30	5.5
60	12A	19.050	15.9	38.10	55.6	2.42	11.90	5.5
80	16A	25.400	19.1	50.80	64.8	3.25	15.90	6.8
100	20A	31.750	25.4	63.50	87.3	4.00	19.80	9.2
120	24A	38.100	28.6	76.20	108.5	4.80	23.00	9.8
*06B	*06B	9.525	8.0	19.04	27.0	1.30	6.50	3.5
08B	08B	12.700	9.5	25.40	36.4	1.60	8.90	4.5
10B	10B	15.875	14.3	31.75	44.6	1.70	10.31	5.3
12B	12B	19.050	16.0	38.10	52.4	1.85	13.46	6.4
16B	16B	25.400	19.1	50.80	72.6	3.10	15.88	6.4
20B	20B	31.750	35.0	63.50	100.5	3.50	19.80	9.0
24B	24B	38.100	30.0	76.20	108.4	4.80	26.67	10.5
	08AA 1F9	12.700	9.6	55.40	62.5	2.03	7.50	4.2
	08AA 1F10	12.700	9.6	28.00	36.4	1.50	8.50	3.2
	08AA 1F11	12.700	9.5	25.40	35.2	1.50	7.90	5.5
	08AA 1F12	12.700	9.5	25.40	35.2	1.50	7.90	3.2
	08AKK 1F1	12.700	9.5	25.40	36.4	1.50	8.90	4.5
	80H AA 1F1	25.400	20.0	62.00	79.6	3.24	35.60	8.1
	24B AA 1F2	38.100	35.0	83.80	103.8	6.00	36.15	10.0
	28B KK 1F2	44.450	35.0	117.00	147.0	6.00	22.50	12.0

*直链板

*Straight side plates





HANGZHOU OCEAN INDUSTRY CO., LTD.

ISO 链号 ISO Chain No.	Chain No.	P mm	G mm	C mm	F mm	T mm	d4 mm
40	08A	12.700	9.5	12.70	19.05	1.50	3.4
50	10A	15.875	12.7	15.90	25.25	2.03	5.5
60	12A	19.050	15.9	18.30	29.33	2.42	5.5
80	16A	25.400	19.1	24.60	34.70	3.25	6.8
100	20A	31.750	25.4	31.80	43.30	4.00	9.2
120	24A	38.100	28.6	73.00	103.20	4.80	9.8
*06B	*06B	9.525	8.0	9.52	13.50	1.30	3.5
08B	08B	12.700	9.5	13.35	18.90	1.60	4.3
10B	10B	15.875	14.3	16.50	22.95	1.70	5.3
12B	12B	19.050	16.0	21.45	28.60	1.85	6.4
16B	16B	25.400	19.1	23.15	34.00	3.10	6.4
20B	20B	31.750	35.0	30.50	45.70	3.50	9.0
24B	24B	38.100	36.0	85.40	123.0	4.80	10.5
	41F12	12.700	9.5	-	17.35	1.30	-
	12ASAA1F1	19.050	15.9	19.90	26.00	2.42	5.5

*直链板

*Straight side plates




HANGZHOU OCEAN INDUSTRY CO., LTD.

Chain No.	P	G	C	F	T	d4
	mm	mm	mm	mm	mm	mm
08BSK1F4	12.700	11.00	13.35	18.90	1.60	6.50
08BSK1F5	12.700	9.50	13.35	18.90	1.60	6.30
08BSK1F6	12.700	11.00	14.30	19.30	1.60	4.30
08BSK1F7	12.700	11.00	13.00	20.80	1.60	4.45
41SK1F3	12.700	9.50	11.85	16.55	1.30	6.20
10ASA0F2	15.875	28.50	-	93.00	2.03	-
10ASA1F8	15.875	12.70	15.90	25.25	2.03	8.00
10ASK1F1	15.875	20.00	15.68	22.88	2.03	8.50
10ASK1F3	15.875	12.70	15.25	23.60	2.03	5.30
10ASK1F6	15.875	12.70	15.90	25.25	2.03	6.10
10BSA0F1	15.875	8.22	-	29.52	1.70	-
10BSA1F3	15.875	24.00	16.00	24.20	1.70	5.10
10BSK1F5	15.875	14.10	15.90	23.70	1.70	5.20
*C12ASK1F6	19.050	15.75	17.78	25.50	2.42	5.70
12ASA1F4	19.050	15.90	18.30	29.33	2.42	8.50
12ASK1F1	19.050	15.90	18.30	29.33	2.42	6.10
12BSA1F3	19.050	17.00	16.00	26.60	1.85	8.00
12BSA1F4	19.050	18.00	17.00	27.00	1.85	8.00
12BSK0F1	19.050	15.00	-	26.50	1.85	-
12BSK0F4	19.050	15.90	-	26.00	3.30	-
12BSK1F1	19.050	18.00	18.20	28.10	1.80	6.40
12BSK1F2	19.050	18.00	18.30	26.10	1.85	6.20
12BSK1F6	19.050	18.00	18.20	28.10	1.80	6.40
12BSK1F7	19.050	16.00	17.90	26.20	1.85	5.60
*C16ASA2F1	25.400	49.40	29.50	39.50	3.25	5.50
*C16BSK0F1	25.400	25.00	-	25.00	4.15	-


Tel: 0086-

*直链板
*Straight side plates

SA1



SK1







HANGZHOU OCEAN INDUSTRY CO., LTD.

Chain No.	P	G	C	F	T	d4
	mm	mm	mm	mm	mm	mm
*C 16BSK0F3	25.400	23.94	-	22.20	3.10	-
*C 16BSK0F4	25.400	46.90	-	20.50	3.10	-
16ASAF1	25.400	19.10	-	34.70	3.25	-
16ASAF2	25.400	19.10	-	34.70	3.25	-
16AWSK1F3	25.400	45.90	16.00	34.40	3.25	14.52
16BSA1F6	25.400	25.40	27.30	36.00	3.10	8.40
16BSK1F10	25.400	36.20	24.60	36.60	3.10	8.20
16BSK1F11	25.400	19.00	26.00	35.00	3.10	6.80
16BSK1F2	25.400	24.00	25.40	37.40	3.00	8.20
16BSK1F3	25.400	19.10	23.15	34.00	3.10	9.00
16BSK1F7	25.400	19.10	23.15	34.00	3.10	8.00
16BSK1F8	25.400	24.00	31.00	41.00	3.10	10.00
16BSK1F9	25.400	24.00	31.10	39.10	3.10	9.00
16BWSK0F8	25.400	47.00	-	38.00	4.15	-
20BSK1F1	31.750	25.40	30.50	45.70	3.50	9.00
24ASK1F3	38.100	28.60	34.40	50.70	4.80	9.80
24ASK1F4	38.100	28.60	36.50	51.60	4.80	10.30
24BSK1F1	38.100	30.00	42.65	61.70	4.80	10.50
24BSK1F2	38.100	36.00	43.20	61.50	4.80	20.3/11.6
24BSK1F4	38.100	30.00	36.50	51.40	4.80	10.50
28SK1F1	44.450	41.00	44.50	62.00	6.00	16.00
32ASWA2F1	50.800	92.00	48.90	69.50	6.40	13.10
32BSK1F1	50.800	50.80	53.50	77.00	6.00	14.00
40ASA1F2	63.500	63.50	40.00	56.00	8.00	22.00
40BSK1F1	63.500	56.00	48.00	68.00	8.50	16.20

Tel: 008

*直链板

*Straight side plates







HANGZHOU OCEAN INDUSTRY CO., LTD.

Chain No.	P	G	L	F	W	T	h4	d4
	mm	mm	mm	mm	mm	mm	mm	mm
*06BK 2F2	9.525	17.75	9.520	18.80	26.80	1.15	6.50	3.50
*06BW K2F1	9.525	17.70	9.525	19.50	28.50	1.30	6.70	4.10
06CK 2F4	9.525	18.50	9.525	19.10	28.60	1.30	6.45	5.00
08AW A1F2	12.700	24.00	-	56.40	68.60	2.00	9.60	5.10
08AW A2F2	12.700	23.00	12.700	25.40	35.60	1.50	7.90	3.60
08AW K1F1	12.700	23.00	-	25.40	35.60	1.50	7.90	4.20
08AW K1F2	12.700	23.00	-	25.40	35.60	1.50	7.90	M 5
08AW K1F3	12.700	23.00	-	25.52	35.72	1.50	7.90	5.50
08B (W)K 2F30	12.700	23.30	12.700	28.18	37.18	1.60	8.40	4.30
08BA1F45	12.700	18.00	-	27.60	39.60	1.60	8.00	4.30
08BF30W K 2	12.700	23.00	12.700	42.00	52.30	1.60	6.50	5.15
08BK2F30	12.700	23.30	12.700	28.20	37.20	1.60	8.40	4.30
08BW A1F1	12.700	23.30	-	27.40	38.80	1.60	8.00	4.30
08BW A1F16	12.700	23.10	-	26.00	36.40	1.60	8.90	6.5×4.5
08BW A1F17	12.700	25.00	-	30.00	45.00	1.60	10.00	8.00
08BW A1F18	12.700	23.30	-	25.50	35.20	1.60	8.90	6.00
08BW A1F19	12.700	24.00	-	25.40	36.60	1.60	7.00	M 5
08BW A1F6	12.700	24.00	-	25.40	38.80	1.60	8.90	6.60
08BW A2F25	12.700	24.50	12.700	25.40	35.20	1.60	8.90	4.50
08BW A2F30	12.700	23.30	12.700	30.00	42.00	1.60	8.50	4.30
08BW A2F31	12.700	23.30	14.000	25.40	43.00	1.60	8.90	4.00
08BW A2F33	12.700	23.30	12.700	27.60	40.80	1.60	8.50	4.30
08BW A2F34	12.700	23.60	12.700	32.60	44.60	1.60	9.50	4.20
08BW A2F4	12.700	24.00	12.700	25.40	36.40	1.60	8.90	4.30
08BW A2F6	12.700	25.00	12.500	26.00	35.60	1.60	8.90	4.50
08BW K1F10	12.700	24.00	-	62.83	75.43	2.00	10.00	5.00
08BW K1F11	12.700	23.30	-	25.40	35.20	1.60	8.90	5.00
08BW K1F12	12.700	23.30	-	25.40	35.10	1.60	8.90	M 5
08BW K2F2	12.700	23.20	12.700	28.40	42.60	3.00	8.50	5.40

Tel: 0086-

*直链板







HANGZHOU OCEAN INDUSTRY CO., LTD.

Chain No.	P	G	L	F	W	T	h4	d4
	mm	mm	mm	mm	mm	mm	mm	mm
08BW K2F27	12.700	24.00	12.000	30.43	43.43	2.00	10.00	4.30
08BW K2F28	12.700	24.40	12.700	42.00	56.30	1.60	8.50	6.00
08BW K2F29	12.700	25.45	12.700	34.03	45.93	1.50	13.00	6.00
08BW K2F3	12.700	23.20	12.700	32.00	43.60	1.60	10.00	4.50
08BW K2F32	12.700	23.30	12.700	25.40	40.00	1.60	8.90	M 5
08BW K2F39	12.700	24.50	12.700	27.60	41.80	1.60	8.50	4.80
08BW K2F4	12.700	24.00	12.700	25.40	36.40	1.60	8.90	4.30
08BW K2F40	12.700	23.10	12.700	26.00	36.40	1.60	8.90	6.50×4.50
08BW K2F5	12.700	24.20	12.700	23.95	34.95	1.55	8.75	4.30
40W K2F2	12.700	24.00	12.700	25.40	34.70	1.50	8.30	3.18
41W A1F4	12.700	22.30	-	30.00	41.00	1.30	7.20	5.00
428HW K1	12.700	23.30	-	38.00	56.40	2.42	11.00	5.50
10A (W) A2F1	15.875	24.10	15.875	33.60	43.20	2.03	8.20	3.50
10AW A1F2	15.875	28.80	-	32.40	42.20	2.03	10.30	5.20
10AW A1F6	15.875	28.80	-	31.80	46.60	2.03	10.30	6.50
10AW A2F1	15.875	24.10	15.880	30.70	43.89	2.03	10.10	3.90
10AW K1F1	15.875	28.80	-	31.75	46.00	2.03	10.30	8.20
10AW K1F2	15.875	30.00	-	31.75	46.00	2.03	10.30	5.20
10BW A1F1	15.875	28.50	-	52.00	73.00	1.70	10.50	10.00×8.00
10BW A2F2	15.875	28.36	15.760	30.40	39.80	1.60	10.50	5.20
10BW K1F4	15.875	29.58	-	31.80	44.60	1.70	10.31	7.30×5.50
10BW K2F10	15.875	28.60	15.900	31.80	47.60	1.70	10.30	5.20
10BW K2F2	15.875	28.36	15.760	30.40	39.80	1.60	10.50	5.20
10BW K2F3	15.875	29.90	15.880	31.59	45.59	1.60	10.50	5.30
10BW K2F4	15.875	29.58	15.880	31.71	48.41	1.70	10.31	5.30
10BW K2F8	15.875	29.58	15.875	31.80	44.60	1.70	10.31	7.30×5.50
10BW K2F9	15.875	29.90	15.880	48.20	62.20	1.60	10.50	5.30
*C 12BW K2F12	19.050	35.00	19.050	37.20	58.00	1.85	11.00	6.60
12AF99	19.050	34.65	19.050	38.10	56.40	2.42	11.90	5.00

Tel: 0086-







HANGZHOU OCEAN INDUSTRY CO., LTD.

Chain No.	P	G	L	F	W	T	h4	d4
	mm	mm	mm	mm	mm	mm	mm	mm
12AHW A2F3	19.050	34.60	19.050	38.10	56.40	3.25	13.90	6.50
12AHW K2F1	19.050	34.65	19.050	40.60	59.00	3.25	11.90	5.50
12AW A1F5	19.050	34.65	-	38.10	54.40	2.42	11.90	7.00
12AW A1F6	19.050	34.65	-	44.00	62.00	2.42	11.90	10.50
12AW A1F8	19.050	36.00	-	38.10	58.20	2.42	11.90	5.00
12AW A1F9	19.050	34.65	-	38.10	54.40	2.42	11.90	6.50
12AW A2F1	19.050	34.65	19.050	38.20	56.60	2.42	11.90	6.35
12AW A2F10	19.050	34.65	19.050	47.00	62.00	2.42	11.90	8.50
12AW A2F13	19.050	34.65	19.050	38.10	56.40	2.42	11.90	M 6
12AW K1F32	19.050	34.65	-	38.10	54.40	2.42	11.90	6.00
12AW K2F5	19.050	34.65	14.300	38.10	54.40	2.42	11.90	6.00
12BF42W K2	19.050	34.90	19.000	35.20	54.60	1.85	12.20	6.40
12BW A1F13	19.050	34.65	-	35.00	51.60	1.85	13.46	7.00
12BW A1F2	19.050	34.05	-	38.10	26.20	1.85	13.46	-
12BW A2F1	19.050	34.80	19.050	35.20	61.40	1.85	12.00	5.50
12BW A2F10	19.050	34.05	19.050	38.90	56.90	1.85	13.46	7.00
12BW A2F11	19.050	32.00	19.050	38.10	56.40	1.85	11.90	5.50
12BW A2F17	19.050	37.00	19.050	38.08	52.38	1.85	13.46	6.40
12BW A2F18	19.050	34.05	19.050	38.10	52.40	1.85	18.50	6.40
12BW A2F19	19.050	37.20	19.050	35.50	56.90	1.85	12.00	6.20
12BW A2F2	19.050	34.90	19.000	35.00	50.60	1.85	12.00	6.20
12BW A2F20	19.050	35.05	19.000	35.20	50.40	1.85	12.20	6.40
12BW A2F21	19.050	34.90	19.000	35.20	54.60	1.85	12.20	6.40
12BW A2F22	19.050	34.05	19.050	37.30	56.00	1.85	11.90	6.50
12BW A2F3	19.050	30.00	20.000	37.40	53.00	1.85	12.00	6.10
12BW A2F5	19.050	30.00	20.000	39.60	55.30	1.85	14.00	M 6
12BW A2F6	19.050	30.00	20.000	38.60	57.00	1.85	13.46	6.20
12BW K0F1	19.050	30.00	-	-	55.30	3.00	14.00	5.50
12BW K1F1	19.050	34.05	-	38.10	52.40	1.85	13.46	8.50

Tel: 0086-







HANGZHOU OCEAN INDUSTRY CO., LTD.

Chain No.	P	G	L	F	W	T	h4	d4
	mm	mm	mm	mm	mm	mm	mm	mm
12BW K1F11	19.050	34.65	-	35.00	56.40	1.85	11.90	6.20
12BW K1F12	19.050	34.05	-	35.00	52.40	1.85	13.46	M 6
12BW K1F14	19.050	34.05	-	36.50	52.40	1.85	11.90	10.9×6.4
12BW K1F15	19.050	34.85	-	34.84	51.24	1.85	11.40	6.20
12BW K2F23	19.050	34.05	19.050	36.50	52.40	1.85	11.90	10.9×6.4
12BW K2F25	19.050	34.05	19.050	35.10	54.60	1.85	12.00	6.60
12BW K2F27	19.050	35.25	19.050	35.40	54.90	1.80	11.60	6.40
12BW K2F28	19.050	35.00	19.000	35.00	62.80	1.85	12.00	5.60
12BW K2F7	19.050	34.90	19.000	35.00	55.40	1.85	12.20	6.40
12BW K2F8	19.050	35.60	19.050	38.10	52.40	1.85	13.50	6.60
12BW K2F9	19.050	34.90	19.000	35.00	62.40	1.85	12.20	6.20
*C 16BW K2F24	25.400	46.40	25.400	50.80	72.60	3.10	15.88	8.00
16AA2F14	25.400	45.90	25.400	50.80	73.20	3.25	15.90	6.80
16AA2F18	25.400	45.90	19.050	50.80	77.50	3.25	14.125	6.70
16AA2F19	25.400	45.90	25.400	50.80	73.20	3.25	15.90	M 6
16AK2F13	25.400	45.90	25.400	50.81	73.21	3.25	15.90	11.00
16AW A2F16	25.400	45.90	25.400	50.80	73.20	3.25	15.90	8.00
16AW A2F9	25.400	45.90	19.100	50.80	73.20	3.25	15.90	9.00
16AW K0F1	25.400	45.90	-	-	82.80	3.25	15.90	-
16AW K1F1	25.400	45.90	-	50.80	73.20	3.25	15.90	8.00
16AW K1F2	25.400	45.90	-	50.80	73.20	3.25	15.90	12.00
16AW K1F7	25.400	45.90	-	50.80	73.20	3.25	15.90	9.00
16AW K2F10	25.400	45.90	25.400	50.80	73.20	3.25	15.90	8.20
16AW K2F17	25.400	45.90	25.400	50.80	73.20	3.25	15.90	6.60
16AW K2F8	25.400	45.90	25.400	50.80	73.20	3.25	15.90	8.50
16BW A1F28	25.400	36.00	-	57.58	77.58	3.10	16.00	M 8
16BW A2F12	25.400	46.40	25.400	50.80	77.80	3.10	15.90	8.20
16BW A2F21	25.400	45.50	25.000	54.80	83.80	3.10	16.00	M 6
16BW A2F22	25.400	46.40	25.400	50.80	72.60	3.10	15.88	9.00
16BW A2F30	25.400	45.40	25.000	53.00	92.00	3.10	15.88	7.00

Tel: 0086







HANGZHOU OCEAN INDUSTRY CO., LTD.

Chain No.	P	G	L	F	W	T	h ₄	d ₄
	mm	mm	mm	mm	mm	mm	mm	mm
16BW A2F34	25.400	46.40	25.400	58.08	72.60	3.10	15.88	8.20
16BW A2F36	25.400	46.40	25.400	58.00	84.00	3.10	18.00	9.00
16BW A2F37	25.400	46.00	25.400	50.80	72.60	3.00	16.30	M 8
16BW A2F7	25.400	46.40	25.400	50.80	72.00	4.15	16.00	8.00
16BW K1F	25.400	46.00	-	57.20	78.50	3.10	15.90	8.10
16BW K1F21	25.400	45.50	-	70.00	90.00	3.10	15.00	11.00
16BW K1F25	25.400	46.40	-	58.62	83.12	3.10	17.50	M 6
16BW K1F26	25.400	45.50	-	70.00	90.00	3.10	15.00	11.40
16BW K1F27	25.400	46.00	-	57.20	78.50	3.10	15.90	6.50
16BW K1F3	25.400	46.40	-	50.80	72.60	3.10	15.88	M 6
16BW K1F31	25.400	46.40	25.400	54.40	72.80	3.10	16.00	12.6×9
16BW K1F35	25.400	46.40	-	50.80	72.60	3.10	15.88	8.80
16BW K1F36	25.400	46.40	-	54.40	72.80	3.10	16.00	12.6×9
16BW K1F4	25.400	46.40	-	50.74	72.50	3.10	15.88	8.30
16BW K1F5	25.400	45.00	-	70.00	91.00	4.50	15.00	10.50
16BW K2F1	25.400	48.00	25.400	58.00	75.90	3.10	18.00	9.00
16BW K2F10	25.400	46.40	25.400	52.00	72.60	3.10	15.88	6.40
16BW K2F13	25.400	47.00	25.400	58.00	75.60	4.15	18.00	9.00
16BW K2F23	25.400	46.40	25.400	58.00	84.00	3.10	19.00	8.50
16BW K2F28	25.400	46.40	25.400	50.88	75.12	3.10	15.50	7.00
16BW K2F3	25.400	46.40	25.400	58.08	72.60	3.10	15.88	8.20
16BW K2F31	25.400	46.40	25.400	54.40	72.80	3.10	16.11	12.6×9
16BW K2F32	25.400	46.40	25.400	58.00	76.00	3.10	18.00	9.30
16BW K2F33	25.400	46.40	25.400	50.80	72.60	3.10	15.88	8.20
16BW K2F38	25.400	46.40	25.400	58.12	78.12	3.10	15.90	8.40
16BW K2F39	25.400	46.00	25.400	50.80	79.40	3.10	15.90	6.80
16BW K2F5	25.400	46.00	25.400	53.58	77.58	3.00	16.30	8.20
16BW K2F6	25.400	49.00	25.400	50.20	72.60	4.00	19.00	8.20
16BW K2F8	25.400	46.40	25.400	50.80	79.40	4.15	15.88	6.60
*C 20BW K0F1	31.750	57.45	-	-	85.40	3.50	22.80	-

Tel: 0086





HANGZHOU OCEAN INDUSTRY CO., LTD.

Chain No.	P	G	L	F	W	T	h ₄	d ₄
	mm	mm	mm	mm	mm	mm	mm	mm
20AHA2F2	31.750	57.65	31.750	65.60	91.70	4.80	19.80	9.20
20AW A2F4	31.750	57.65	31.750	63.60	89.70	4.00	19.80	6.40
20BW K1F1	31.750	58.15	-	69.00	98.80	3.50	21.00	10.50
20BW K2F1	31.750	58.10	31.750	67.94	100.54	3.50	19.80	9.00
20BW K2F2	31.750	60.00	31.750	68.00	88.00	3.50	23.50	9.60
20BW K2F3	31.750	60.00	31.750	68.00	88.00	3.50	23.60	9.60
24AK2F1	38.100	69.30	38.100	76.20	109.00	4.80	23.00	10.20
24AK2F2	38.100	69.30	38.100	76.20	108.80	4.80	23.00	10.80
24AK2F4	38.100	69.30	38.100	76.20	95.00	4.80	23.00	9.80
24AK2F6	38.100	69.30	38.100	76.20	108.80	4.80	23.00	11.11
24BW K2F2	38.100	71.30	38.100	80.00	118.10	4.80	26.70	10.50
28AF16W K2	44.450	82.00	44.450	70.00	98.00	5.60	24.80	11.40
28AK2F6	44.450	80.45	42.000	69.50	107.20	5.60	28.00	10.50
28AW A2F5	44.450	80.45	44.450	88.90	123.00	5.60	28.60	20×12
28AW K2F1	44.450	82.00	42.000	69.50	99.00	5.60	25.10	10.50
28AW K2F4	44.450	82.00	42.000	69.50	99.00	6.00	25.10	11.20
*C 32AF41K2	50.800	88.80	50.800	90.00	118.00	6.40	31.80	11.00
32AW K2F3	50.800	100.00	70.000	100.00	140.00	6.40	31.75	18.00
32AW K2F46	50.800	92.80	42.000	95.00	149.00	6.40	25.00	13.10
32AW K2F50	50.800	92.00	42.000	91.00	126.00	6.40	31.75	16.50
32BF38	50.800	60.00	-	126.00	156.00	11.00	35.00	16.00
32BK2F3	50.800	60.00	30.000	90.00	115.70	6.00	56.00	M 10
32BW A2F3	50.800	92.40	50.800	105.00	147.00	6.00	31.80	12.50
32BW K2F2	50.800	92.80	40.000	76.39	111.99	6.00	31.00	12.50
32BW K2F4	50.800	92.80	42.000	94.50	150.50	6.00	25.00	13.00
32BW K2F5	50.800	92.80	50.800	101.60	142.80	6.00	31.75	13.10
40AW K2F1	63.500	115.50	63.500	127.00	179.00	8.00	42.88	16.00
40BF7	63.500	110.00	66.000	126.20	176.00	8.00	35.00	16.00
40BF8W K2	63.500	116.50	63.500	124.71	177.71	8.00	42.90	17.00

Tel: 008